
HolyScrap Documentation

Release

HolyScrap

November 25, 2015

1	hsdb module	3
2	hshelper module	5
3	hsrun module	7
4	hsurl module	9
5	main module	11
6	Indices and tables	13
	Python Module Index	15

Contents:

hsdb module

`hsdb.add_anime(name, id)`

This function adds an anime to the database and print whether it works or not

Parameters

- **name** – Name of the anime to be added
- **id** – Episode number

`hsdb.delete_anime(name)`

This function deletes an anime and print whether it works or not

Parameters **name** – Name of the anime to be deleted

`hsdb.get_animes()`

This function returns all the animes in the database

Returns A tuple of animes

`hsdb.get_animes_for_print()`

This function prints all the animes in the database

`hsdb.get_sqlite_connexion()`

This function returns the sqlite connection

Returns The connection with the database

`hsdb.init_sql()`

This function initializes the database

`hsdb.update_anime(uName, uId)`

This function updates an anime print a message and send an SMS

Parameters

- **uName** – Name of the anime to be updated
- **uId** – Episode number to be updated

hshelper module

`hshelper.replace_special_chars(str_to_translate)`

This function replaces all special characters with underscore

Parameters `str_to_translate` – String containing special characters

Returns Well formatted string

`hshelper.usage()`

This function prints the usage of HolyScrap

hsrun module

`hsrun.run(thread)`

This function starts the processus of downloading animes in an other thread

`hsrun.run_one_time()`

This function starts the processus of downloading animes

hsurl module

`hsurl.download_torrent` (*torrent*)

This function downloads a torrent

Parameters **torrent** – Name of the torrent to be downloaded

`hsurl.get_html_from_anime` (*name*)

This function gets the content of an HTML page

Parameters **name** – The anime name (e.g: One Piece 717)

Returns The readed response or false

`hsurl.search_result` (*html, query*)

This function searches for torrent file in an HTML document

Parameters

- **html** – The HTML document
- **query** – Tuple containing information about the anime (name, episod number)

Returns A tuple containing the HTML name, link of the torrent, name of the anime and the episod number

main module

Indices and tables

- `genindex`
- `modindex`
- `search`

h

hsdb, [3](#)
hshelper, [5](#)
hsrun, [7](#)
hsurl, [9](#)

m

main, [11](#)

A

`add_anime()` (in module `hsdb`), 3

D

`delete_anime()` (in module `hsdb`), 3

`download_torrent()` (in module `hsurl`), 9

G

`get_animes()` (in module `hsdb`), 3

`get_animes_for_print()` (in module `hsdb`), 3

`get_html_from_anime()` (in module `hsurl`), 9

`get_sqlite_connexion()` (in module `hsdb`), 3

H

`hsdb` (module), 3

`hshelper` (module), 5

`hsrun` (module), 7

`hsurl` (module), 9

I

`init_sql()` (in module `hsdb`), 3

M

`main` (module), 11

R

`replace_special_chars()` (in module `hshelper`), 5

`run()` (in module `hsrun`), 7

`run_one_time()` (in module `hsrun`), 7

S

`search_result()` (in module `hsurl`), 9

U

`update_anime()` (in module `hsdb`), 3

`usage()` (in module `hshelper`), 5